



PowerLux® iDora™ Induction Retrofit Kit



Reflector Lids



DORA™ ASSEMBLY



IES FILE PHOTOMETRIC DATA

Available on request

PACKING DATA

19"x19"x28" Weight 9 lbs.



Blow Molded Acorn
Uplight: 46.2%
Downlight: 45%
Maximum Candela: 1445

Dora™ Reflector
Uplight: 11.66% (reduced 75%)
Downlight: 72% (improved by 60%)
Maximum Candela: 2977 (improved by 106%)

Catalog#		Type
Project		
Note		Date
Prepared by		

APPLICATIONS

- For use with existing Post Top Luminaire (use in parks, along walkways, roadways and areas where a distinctive nostalgic theme is prevalent).

SPECIFICATION FEATURES

- PowerLux® Dora™ Refractor and Prismatic Top** feature a traditional turn of the century shape and state of the art photometric performance
- Available in acrylic or polycarbonate; Type III or Type V distributions. Both are optimized for efficient light performance
- Reflector lid is an aluminum reflector which fits between the Prismatic Top and Refractor
- Reflector lid allows just enough uplight for a pleasing glow – decreases uplight 30-40% and increases downlight by 20-25%
- Aluminum reflector lid designed for maximum photometric efficiency and optimum light distribution which complies with Dark Sky Ordinance when used with either perforated or non-perforated lid options
- Clamp band included for attaching Refractor and Prismatic Top
- Designed for pole height between 10 and 20 feet
- 8" or 9" base diameter
- Overall weight is reduced for easy installation and maintenance
- Neck ring to protect refractor from metal screws
- Finial available in Flame or Spike
- Made in the U.S.A.

ORDERING INFORMATION and SELECTION

Model No.	Wattage	Lamp Kelvin	Voltage	Base	Refractor	Reflector Lids	Finial
PTDR	55	830	100-120	8"	Polycarbonate (P)	Non-Perforated (NP)	F1
	85	840	200-277	9"	Acrylic (A)	Perforated (P)	F2
		850					

Part Number Example: PTDR/55/850/277/9P/NP/F1

Description: PowerLux iDora Induction Retrofit Kit 55W 5000K 200-277V, 9" Polycarbonate Refractor, Non-Perforated Lid, Black Finial

PowerLux® Corporation

US Manufacturer of Sustainable Energy Efficient Lighting Products
Induction Lighting Proven Success Since 1999

1260 Liberty Way, Suite E Vista, CA 92081 Phone: 760-727-2360 Fax: 760-434-4766
Website: www.powerlux.com E-mail: klpowerlux@gmail.com

PowerLux® Products Have Stood the Test of Time!

141020
Patents pending
Specifications subject to change without prior notice
© 2010 by PowerLux® Corporation. All rights reserved